Revision Date: 07/02/2021

## SAFETY DATA SHEET

#### 1. Identification

Product identifier: FURNITURE POLISH

Other means of identification

**SDS number:** RE1000045203

Recommended restrictions
Recommended use: Cleaner
Restrictions on use: Not known.

**Manufacturer Information** 

Manufacturer

Company Name: CHECKERS CLEANING SUPPLY

Address: 2371 SCANLAN ST

LONDON, ONTARIO N5W 6G9

Telephone: 800-265-5756

Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

#### **Hazard Classification**

**Physical Hazards** 

Flammable aerosol Category 1

**Health Hazards** 

Skin sensitizer Category 1

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

May cause an allergic skin reaction.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be

allowed out of the workplace. Wear protective gloves.

**Response:** IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get

medical advice/attention. Specific treatment (see on this label). Take off

contaminated clothing and wash it before reuse.

Revision Date: 07/02/2021

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50

°C/122°F.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Butane		106-97-8	1 - 5%
Propane		74-98-6	0.5 - 1.5%
Cyclohexene, 1-methyl-4-(1- methylethenyl)-, (4R)-		5989-27-5	0.1 - 1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Ingestion:** Rinse mouth thoroughly.

**Inhalation:** Move to fresh air.

Skin Contact: Destroy or thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

**Eye contact:** Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

## 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Revision Date: 07/02/2021

#### Special protective equipment and precautions for firefighters

**Special fire fighting** 

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up:

Stop the flow of material, if this is without risk. Absorb with sand or other

inert absorbent.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer. Environmental

manager must be informed of all major spillages.

## 7. Handling and storage

**Precautions for safe handling:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after

handling.

Conditions for safe storage,

including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 1

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Butane	STEL	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
Butane	STEL	750 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
	TWA	600 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
Butane	TWA	800 ppm 1,900 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (12 2008)
Butane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Butane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)

Revision Date: 07/02/2021

Butane	STEL	1,000 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2018)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Butane	STEL	1,000 ppm	US. ACGIH Threshold Limit Values, as amended (03 2018)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ammonium hydroxide ((NH4)(OH))	TWA	25 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Ammonium hydroxide ((NH4)(OH))	TWA	25 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
	STEL	35 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
	TWA	25 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	35 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	25 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
2,6-Octadienal, 3,7-dimethyl Inhalable fraction and vapor.	TWA	5 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
2,6-Octadienal, 3,7-dimethyl Inhalable fraction and vapor.	TWA	5 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
2,6-Octadienal, 3,7-dimethyl Inhalable fraction and vapor.	TWA	5 ppm	US. ACGIH Threshold Limit Values, as amended (01 2010)

# Appropriate Engineering Controls

No data available.

## Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

**Hand Protection:** No data available.

Revision Date: 07/02/2021

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

Contaminated work clothing should not be allowed out of the workplace.

Avoid contact with skin.

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. Odor threshold: No data available. pH: No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Estimated -104.44 °C Flash Point: **Evaporation rate:** No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): Estimated 9.5 %(V) Flammability limit - lower (%): Estimated 1.9 %(V) Explosive limit - upper (%): No data available. Explosive limit - lower (%): No data available. No data available. Vapor pressure: Vapor density: No data available. Density: No data available. Relative density: No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
Decomposition temperature:
No data available.
Viscosity:
No data available.

## 10. Stability and reactivity

**Reactivity:** No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

Revision Date: 07/02/2021

**Hazardous Decomposition** 

Products:

No data available.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Propane LD 50: > 5,000 mg/kg

Cyclohexene, 1-methyl-4-

(1-methylethenyl)-, (4R)-

LD 50 (Rat): > 2,000 mg/kg

Dermal

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Propane LD 50: > 5,000 mg/kg

Cyclohexene, 1-methyl-4-

(1-methylethenyl)-, (4R)-

LD 50: > 5,000 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Cyclohexene, 1-methyl-4- LC 50: > 100 mg/l (1-methylethenyl)-, (4R)- LC 50: > 100 mg/l

Repeated dose toxicity

**Product:** No data available.

Revision Date: 07/02/2021

Specified substance(s):

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Cyclohexene, 1-methyl-4- NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result,

(1-methylethenyl)-, (4R)- Key study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl- in vivo (Rabbit): Not irritant Experimental result, Key study

4-(1-methylethenyl)-,

(4R)-

**Serious Eye Damage/Eye Irritation** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl- Rabbit, 24 - 72 hrs: Not irritating

4-(1-methylethenyl)-,

(4R)-

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

**ACGIH Carcinogen List:** 

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Revision Date: 07/02/2021

Other effects: No data available.

#### 12. Ecological information

## **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- EC 50 (Pimephales promelas, 96 h): 688 µg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Cyclohexene, 1-methyl-4- EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study (1-methylethenyl)-, (4R)- NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study

#### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- NOAEL (Freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence

study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

#### Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-  $80\ \%$  (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Key study

**BOD/COD Ratio** 

**Product:** No data available.

Revision Date: 07/02/2021

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4- Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study

(1-methylethenyl)-, (4R)-

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4- Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study

(1-methylethenyl)-, (4R)-

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Butane No data available. Propane No data available. Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- No data available.

Other adverse effects: No data available.

13. Disposal considerations

**Disposal instructions:** Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information

**TDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Člass(es)

Class: 2.1 Label(s): – EmS No.:

Packing Group: –
Environmental Hazards: No

Marine Pollutant No

Special precautions for user: Not regulated.

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.:

Packing Group: –
Environmental Hazards: No
Marine Pollutant No

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: Environmental Hazards: No
Marine Pollutant No

Special precautions for user: Not regulated.

Revision Date: 07/02/2021

## 15. Regulatory information

#### **Canada Federal Regulations**

List of Toxic Substances (CEPA, Schedule 1)

Not Regulated

#### Export Control List (CEPA 1999, Schedule 3)

Not Regulated

## **National Pollutant Release Inventory (NPRI)**

# Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Butane

Propane

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

1,6-Octadiene, 7-methyl-3-methylene-

#### Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI Not Regulated

#### **Greenhouse Gases**

Not Regulated

#### **Controlled Drugs and Substances Act**

CA CDSI Not Regulated
CA CDSII Not Regulated
CA CDSIII Not Regulated
CA CDSIV Not Regulated
CA CDSV Not Regulated
CA CDSVII Not Regulated
CA CDSVIII Not Regulated
CA CDSVIII Not Regulated

#### **Precursor Control Regulations**

Not Regulated

## International regulations

#### Montreal protocol

Not applicable

## Stockholm convention

Not applicable

## **Rotterdam convention**

Not applicable

## Kyoto protocol

Not applicable

Revision Date: 07/02/2021

**Inventory Status:** 

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List: On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: On or in compliance with the inventory

China Inv. Existing Chemical Substances: On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

New Zealand Inventory of Chemicals: On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

On or in compliance with the inventory US TSCA Inventory:

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: On or in compliance with the inventory

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Mexico INSQ: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

#### 16. Other information, including date of preparation or last revision

**Issue Date:** 07/02/2021

**Revision Date:** No data available.

Version #: 1.0

**Further Information:** No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent

determination of the methods to safeguard workers and the environment.