9600, boul. des Sciences, Montréal, Québec, Canada, H1J 3B6. Tel : 514-254-7188 Fax : 514-254-3006

CHLORHEXIDENE GLUCONATE 2% SOLUTION C139

MATERIAL SAFETY DATA SHEET

SUPPLIER: LABORATOIRE ATLAS INC.

9600 boul. des Science, Anjou

Montréal, Québec

H1J 3B6

EMERGENCY TELEPHONE

OFFICE: (514) 254-7188

ANTIPOISON CENTRE: 1-800-463-5060

N.D.: NO DATA AVAILABLE N.A.: NOT APPLICABLE

SECTION 1 – PRODUCT IDENTIFICATION

COMMERCIAL NAME: DEXIDIN 2% Solution with 4% Isopropyl Alcohol

CHEMICAL NAME: 2% Chlorhexidine gluconate and 4% Isopropyl alcohol aqueous solution

CHEMICAL FORMULA: 1,6-Di-(N-p-Chlorophenyl diguanide) hexane digluconate

 $(C_{22}H_{30}CI_2N_{10} \cdot 2C_6H_{12}O_7) \& IPA (C_2H_6O)$

CHEMICAL FAMILY: Organic, cationic.

CODE: C139

PRODUCT USE: Antiseptic for skin disinfection. Bactericidal to most vegetative gram-

positive and gram-negative bacteria. Effective against most yeast and

moulds.

WHMIS CLASSIFICATION: N.A. pharmaceutical are not regulated

TDG CLASSIFICATION: N.A

SECTION 2 - INGREDIENTS

CONTROLLED INGREDIENTS (Over 1% (w/w):

CHLORHEXIDE GLIUCONATE CAS: 18472-51-0 2% LD₅₀ (MOUSE-ORAL)=1800 mg/Kg ISOPROPYL ALCOHOL CAS: 67-63-0 4% LD₅₀ (RAT-ORAL)=5800 mg/Kg

SECTION 3 - PHYSICAL CHARACTERISTICS

PHYSICAL STATE, ODOR & APPEARANCE: Clear reddish liquid with a mild IPA odour.

THRESHOLD ODOUR: N.D.

BOILING POINT:

pH AT 25°C:

SPECIFIC GRAVITY AT 20°C. (water=1):

VAPOUR PRESSURE mmHg AT 20°C:

N.D.

VAPOUR PRESSURE mmHg AT 20°C:

N.D.

VAPOUR DENSITY (air=1):

N.D.

WATER SOLUBILITY: Complete water solubility

FREEZING POINT: N.D. EVAPORATION RATE: N.D.

PARTITION COEFFICIENT (WATER/OIL): N.D. miscible with water.

FLASH POINT: N.A. AUTOIGNITION TEMPERATURE: N.A.

SECTION 4 - REACTIVITY

STABILITY: Chemically stable under normal conditions.

CONDITIONS TO AVOID: Avoid exposure to heat.

INCOMPATIBILITE: Incompatible with strong acids & alkalis and with oxidizing & reducing agents.

HAZARDOUS DECOMPOSITION: N.A. **HAZARDOUS POLYMERISATION:** None.

9600, boul. des Sciences, Montréal, Québec, Canada, H1J 3B6. Tel : 514-254-7188 Fax : 514-254-3006

CHLORHEXIDENE GLUCONATE 2% SOLUTION C139

SECTION 5 - FIRE AND EXPLOSION HAZARD

FLAMMABILITY: Non-flammable liquids.

SPECIAL FIRE HAZARDS: N.A.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide and carbon dioxide can be produce.

FIRE FIGHTING MEDIA: Use water, carbon dioxide or chemical powders for small fires. For larger amounts (multiple packages / pallets) of product: Since toxic, corrosive or flammable vapours might de evolved from fires involving this product and associated packaging, self contained breathing apparatus and full protective equipments are recommended for firefighters. If possible, contain and collect firefighting water for later disposal.

SECTION 6 - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE:

EYES: Contacts with the eyes and mucosa can cause irritation, redness and pain.

SKIN: In normal use, does not cause irritation. However, sensitive individuals may develop minor skin irritation.

INHALATION: N.A.

INGESTION: Chlorhexidine Gluconate has a relatively low LD50 value since it is poorly absorbed by the intestine. It is rather eliminated in the faeces. The Isopropyl Alcohol is however more harmful if ingested. It may: irritate the gastro-intestinal track, affect the nervous system, liver and kidneys. May cause nausea, headache and alter vision.

EFFECTS OF CHRONIC EXPOSURE:

Prolonged and repeated exposure by application on the skin may cause a chronic skin irritation.

SECTION 7 - PREVENTATIVE MEASURES

AS NEEDED, APPLY THE APPROPRIATE MEASURES ACCORDING TO THE AMPLITUDE OF EXPOSURE.

SKIN: N.A.

EYES: Avoid any contact with the eyes.

RESPIRATORY TRACT: N.A.

OTHER PROTECTIVE EQUIPMENTS: N.A.

VENTILATION: N/A.

IN CASE OF SPILL OR LEAK: Absorb spills with a neutral absorbing material. Rinse with water.

WASTE DISPOSAL: As dictated by the federal, provincial and municipal, rules.

STORAGE REQUIREMENTS: Keep bottle tightly closed and store at room temperature. Avoid exposure to temperatures

above 25°C.

SECTION 8 - FIRST AID MEASURES

EYES: Flush eyes immediately with large volumes of water for 15 minutes. Consult a physician.

SKIN: In case of accidental contact with skin, wash with soap and rinse with water. If irritation appears, it will probably disappear if not, cease using and consult a physician.

INHALATION: N.A.

INGESTION:. Do not induce vomiting. In case of non-induced vomiting, lean victim forward to prevent any risk of asphyxia and give water. Never give any liquid to an unconscious person. Get medical attention.

SECTION 9 - OTHER INFORMATION

REVISED IN: February 02, 2017 **REPLACE VERSION OF:** September 15, 2014

The information contained in this form has been compiled from sources believed to be reliable and is accurate to the best of our knowledge. However, we cannot give any guarantee regarding information from other sources and expressly do not make any warranties nor assume any liability for its use.